



Certificate of constancy of performance  
according to AVCP-System 1

**MPA** Eberswalde

Materialprüfanstalt  
Brandenburg GmbH

**0763-CPR-6165**

Prüfung, Überwachung,  
Zertifizierung, Gutachten,  
Forschung und Entwicklung

In compliance with Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR) this certificate applies to the construction product

Alfred-Möller-Straße 1, H 13  
D-16225 Eberswalde

Fon +49 (0) 33 34. 65 560  
Fax +49 (0) 33 34. 65 550

www.mpaew.de  
office@mpaew.de

Geschäftsführer:  
Dr. Robby Wegner

HRB 10408 FF

**Flame Retardant Birch Plywood**

Plywood according to EN 636 or use as structural components (walls and ceilings), made of birch veneer, nominal thickness  $\geq 12$  mm, uncoated, quality of bonding acc. to EN 314-2: class 3, class of reaction to fire acc. to EN 13501-1: B – s1, d0.

This classification is valid for the following end use conditions acc. to classification report SL/Z-282/EN13501/304/2021 of 06.05.2021.

Substrates: Any substrate of euro classes A1 or A2 with or without an air gap.

produced by

**Bydgoskie Zakłady Sklejek „SKLEJKA -MULTI” S.A**  
**ul. Fordońska 154, PL – 85-752 Bydgoszcz**

and produced in the manufacturing plant

**Bydgoskie Zakłady Sklejek „SKLEJKA -MULTI” S.A**  
**ul. Fordońska 154, PL – 85-752 Bydgoszcz**

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard


**EN 13986:2004+A1:2015**

under system 1 for the performances set out in this certificate are applied and that the construction product fulfils all the prescribed requirements for these performances.

This certificate hereby replaces the certificate 0763-CPR-6065, dated 15.06.2021, and will remain valid as long as the test methods and/or factory production control requirements included in the harmonised standard, used to assess the performance of the declared characteristics, do not change, and the product and the manufacturing conditions in the plant are not modified significantly.

Eberswalde, 28.01.2025



  
Dr. Robby Wegner  
Head of Certification Body

Sparkasse Schwandorf  
Kto-Nr.: 100 164 862  
BLZ: 750 510 40  
IBAN: DE55 7505 1040 0100 1648 62  
BIC-/SWIFT: BYLADEM1SAD  
USt.-Id. DE814335485  
Finanzamt Eberswalde



Die Akkreditierung gilt nur für die in der Urkunde aufgeführten Verfahren.



vom DIBt anerkannte  
PUZ-Stelle BRA02



EC notified 0763



CARB notified TPC 18